

---

Meridian 1

# **Meridian Link Release 5**

## **Customer Controlled Routing Release 3B**

### **Engineering Guide**

---

Publication number: 553-3211-520

Document status: Standard

Date: April 1997

---

© 1997 Northern Telecom  
All rights reserved

Printed in U.S.A.

Northern Telecom reserves the right to make changes in equipment, design or components as progress in engineering or manufacturing may warrant.

Meridian 1 and SL-1 are trademarks of Northern Telecom. Motorola is a trademark of the Motorola Corporation. MVME products are trademarked by the Motorola Corporation.

---

---

# Contents

---

|                                                        |           |
|--------------------------------------------------------|-----------|
| <b>About this guide</b>                                | <b>xi</b> |
| What is engineering?                                   | xi        |
| Determining the skills required to engineer the system | xii       |
| References                                             | xii       |

---

## **Chapter 1: Determining the performance requirements of the customer**

|                                                  |          |
|--------------------------------------------------|----------|
|                                                  | <b>1</b> |
| Type of call-center or call-processing operation | 2        |
| Applications                                     | 3        |
| Current applications in use                      | 3        |
| Applications to be added                         | 3        |
| Equipment                                        | 3        |
| Equipment currently installed                    | 3        |
| Equipment to be added                            | 3        |
| Capacity of the equipment                        | 4        |
| Current calling rates (calls per hour)           | 4        |
| Proposed calling rates                           | 4        |
| Specific requirements                            | 4        |

---

## **Chapter 2: Engineering the Meridian 1 for Meridian Link and CCR applications**

|                                                                                   |          |
|-----------------------------------------------------------------------------------|----------|
|                                                                                   | <b>5</b> |
| Engineering the Meridian 1 capacity                                               | 6        |
| Determining the Meridian 1 capacity                                               | 8        |
| Engineering Meridian Mail and IVR ports                                           | 13       |
| Determining Meridian Mail port requirements for the Hold-in-Queue-for-IVR feature | 13       |
| Determining Meridian Mail port requirements for HEVP                              | 16       |
| Engineering the Meridian Link and the AML                                         | 17       |
| Determining the link data rate                                                    | 17       |
| Rationale and assumptions                                                         | 21       |
| Meridian Link and AML                                                             | 21       |
| Relationship between AML and Meridian Link                                        | 21       |

© 1997 Northern Telecom  
All rights reserved

Printed in U.S.A.

Northern Telecom reserves the right to make changes in equipment, design or components as progress in engineering or manufacturing may warrant.

Meridian 1 and SL-1 are trademarks of Northern Telecom. Motorola is a trademark of the Motorola Corporation. MVME products are trademarked by the Motorola Corporation.

---

|                                            |    |
|--------------------------------------------|----|
| X.25 layer 3 and layer 2 overhead          | 22 |
| Peak load adjustment                       | 22 |
| Uneven distribution of duplex link traffic | 22 |

---

### **Chapter 3: Engineering the IPE Module and the Application Module** **23**

|                                                      |    |
|------------------------------------------------------|----|
| Calculating modules required                         | 24 |
| Calculating modules required for co-residency        | 28 |
| Calculating modules required for Meridian Link alone | 28 |
| Calculating modules required for CCR alone           | 28 |
| Example calculation                                  | 29 |
| Determining the complexity of CCR scripts            | 30 |
| Procedure for systems not yet installed              | 30 |
| Procedure for installed systems                      | 34 |
| Tips to assist CCR engineering                       | 36 |
| Tips to reduce the demand at peak periods            | 36 |
| Script writing tips                                  | 36 |
| Summary                                              | 38 |

---

### **Chapter 4: Detecting and resolving performance problems** **39**

|                                            |    |
|--------------------------------------------|----|
| CPU capacity                               | 39 |
| When to use traffic reports                | 40 |
| Resolving problems with an overloaded link | 40 |

---

### **Appendix A: Determining the Meridian 1 call center capacity (Quick Guide)** **41**

---

### **Appendix B: Meridian 1 network loop capacity engineering** **63**

|                                                  |    |
|--------------------------------------------------|----|
| General procedure                                | 63 |
| Network loop capacity (Option 51-81/81C)         | 65 |
| Administrative sets and non-ACD trunks           | 65 |
| Agent sets and ACD analog trunks                 | 66 |
| DTI/PRI trunks                                   | 67 |
| Loops for music and Meridian Mail applications   | 68 |
| Physical capacity in loops                       | 68 |
| Physical capacity of the Option 11C              | 69 |
| System overview                                  | 69 |
| Network requirement calculation                  | 72 |
| Adjustment of rules for Option 11 and Option 11E | 75 |

---

### **Appendix C: Meridian 1 CPU capacity engineering** **77**

|                                                                             |    |
|-----------------------------------------------------------------------------|----|
| Meridian 1 CPU capacity                                                     | 77 |
| Real-time factors for complicated features                                  | 79 |
| Real-time calculation procedures                                            | 83 |
| Calculate spare capacity                                                    | 87 |
| Calculate allotted CCR calls in Meridian 1                                  | 87 |
| Engineering examples                                                        | 89 |
| Example 1: A call center with MIVR including physical capacity (Release 22) | 89 |

---

|                                                                                                              |    |
|--------------------------------------------------------------------------------------------------------------|----|
| Example 2: A call center with CCR and Meridian Link<br>co-residency including physical capacity (Release 22) | 91 |
| Example 3: Inbound call center (MM/MAX/CDR)                                                                  | 94 |
| Example 4: Inbound call center with MIVR (Release 19)                                                        | 95 |
| Example 5: Call center with HEVP and CCR Co-Residency                                                        | 97 |

---

|                                                                                                     |            |
|-----------------------------------------------------------------------------------------------------|------------|
| <b>Appendix D: Engineering the CCR system</b>                                                       | <b>101</b> |
| Engineering the capacity of a CCR system                                                            | 102        |
| Calculating the CCR system capacity using the<br>IPE Module or Application Module capacity rating   | 103        |
| Calculating the CCR system capacity using the<br>IPE Module or Application Module performance chart | 104        |
| Calculating the CCR system capacity using ACD DN statistics                                         | 106        |
| Analyzing scripts                                                                                   | 108        |
| Analyzing call types                                                                                | 109        |
| Analyzing execution time                                                                            | 113        |
| Analyzing messages per call                                                                         | 121        |
| Other characteristics that affect traffic calculations                                              | 127        |
| Steady arrival rate CCR traffic                                                                     | 127        |
| Burst rate CCR traffic                                                                              | 127        |
| Effect of burst rate CCR traffic on capacity                                                        | 127        |
| Controlling overload                                                                                | 128        |